

# APPROXIMATE FIRE PERFORMANCE COMPARISONS



FOR BUILDING AND CONSTRUCTION INDUSTRY

United Kingdom	Netherlands	Germany	France	United States	Japan
BS 476 Parts 6 & 7	NEN 6065 replaces Nen 1076 & 3883	DIN 4102	NFP 92 ' 501	ASTM K84	A1312
<b>CLASS 0</b>	<b>Chapter C. Class N.C.</b>	<b>CLASS A1/A2</b>	<b>M0</b>		
<b>CLASS 1</b>	<b>CLASS 1</b>	<b>B1</b>	<b>M1</b>	<b>&lt; 25</b>	<b>CLASS 2</b>
		<b>B2</b>		<b>&lt; 50</b>	
<b>CLASS 2</b>	<b>CLASS 2</b>	<b>B3</b>	<b>M2</b>	<b>&lt; 100</b>	<b>CLASS 3</b>
<b>CLASS 3</b>	<b>CLASS 3</b>		<b>M3</b>		
<b>CLASS 4</b>	<b>CLASS 4/5</b>		<b>M4</b>		

<b>FIRE CONTRIBUTION -----&gt;</b>	= Non/Minimal	= Low	= Normal	= High
------------------------------------	---------------	-------	----------	--------